SATTC OPIOID REFERENCES

Opioid Epidemic Resource Reference

OUR TARGET GOALS

- To develop news briefs based on this review
- Highlight a narrowed focus to race oriented approaches
- Identify gaps in literature, products, and research on opioid use disorder in regards to the current treatment of OUDs, best practices of effective treatment for providers, approaches, and modalities.

Audience: SUD professionals

PRODUCTS: ASSESSMENTS

 Buprenorphine/Naloxone Maintenance Treatment Intake Questionnaire for Patient Treatment-Planning Questions

This is an intake questionnaire for people beginning medication assisted treatment.

Click Here for E-Link: opioidresponsenetwork.org/ResourceMaterials/Sample-intake-questionnaire.pdf

Opioid Risk Tool

The Opioid Risk Tool (ORT) is a brief, self-report screening tool designed for use with adult patients in primary care settings to assess risk for opioid abuse among individuals prescribed opioids for treatment of chronic pain. Patients categorized as high-risk are at increased likelihood of future abusive drug-related behavior. The ORT can be administered and scored in less than 1 minute and has been validated in both male and female patients, but not in non-pain populations.

Click Here for E-Link: opioidresponsenetwork.org/ResourceMaterials/OpioidRiskTool.pdf

PCSS Implementation Needs Assessment

The following grid serves as a guide to help identify areas of clinical and administrative work and workflow that are important to consider when adopting and implementing substance use disorder (SUD) screening and treatment into your healthcare organization, including medications for SUD. The purpose of the needs assessment is to identify available resources/assets, as well as potential barriers/challenges to successfully integrating SUD services within your organization. Answering these questions may require conversations with multiple people within your organization to fully understand processes and may require some basic data gathering (e.g., previous reports, electronic health record reports). Please complete each section as completely as possible.

Click Here for E-Link:


opioidresponsenetwork.org/ResourceMaterials/Needs%20Asses sment%20Template_OUD%20Healthcare%20Settings.docx

• The ASSIST Project - Alcohol, Smoking and Substance Involvement Screening Test

The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) was developed
for the World Health Organization (WHO) by an international group of substance abuse
researchers to detect and manage substance use and related problems in primary and
general medical care settings. Primary health care professionals are well-positioned to
provide interventions targeted to all substances irrespective of their legal status

Click Here for E-Link: who.int/substance_abuse/activities/assist/en/





PRODUCTS: ASSESSMENTS

• Performance of the Tobacco, Alcohol, Prescription Medication, and Other Substance Use (TAPS) Tool for Substance Use Screening in Primary Care Patients

The Tobacco, Alcohol, Prescription medications, and other Substance [TAPS] Tool consists of a 4-item screening for tobacco use, alcohol use, prescription medication misuse, and illicit substance use in the past year and brief assessment (modified version of the ASSIST-Lite. This instrument is used to assess primary care patients for tobacco, alcohol, prescription drug, and illicit substance use and problems related to their use, and is available for self-administration and interviewer-administration to detect substance use, sub-threshold substance use disorder (i.e., at-risk, harmful, or hazardous use), and substance use disorders. The TAPS Tool was developed and validated so that health systems will have the option of using either a screen or a combined screen and brief assessment tool, as directed by the needs of their patient populations and clinical settings. The instrument is available for use in the public domain; research was supported by the National Institute on Drug Abuse. Published: 2016.

Click Here for E-Link: cde.drugabuse.gov/instrument/29b23e2e-e266-f095-e050-bb89ad43472f

• TAPS: Tobacco, Alcohol, Prescription Medication, and Other Substance Use Tool
The Tobacco, Alcohol, Prescription medication, and other Substance use (TAPS) Tool
consists of a combined screening component (TAPS-1) followed by a brief assessment
(TAPS-2) for those who screen positive. This tool: * Combines screening and brief
assessment for commonly used substances, eliminating the need for multiple screening
and lengthy assessment tools * Provides a two-stage brief assessment adapted from the
NIDA quick screen and brief assessment (adapted ASSIST-lite) * May be either selfadministered directly by the patient or as an interview by a health professional * Uses
an electronic format (available here as an online tool) * Uses a screening component to
ask about frequency of substance use in the past year *Facilitates a brief assessment of
past 90-day problem use to the patient

Click Here for E-Link: drugabuse.gov/taps/#/

PRODUCTS: MANUALS

 ASAM National Practice Guidelines for the Use of Medication in the Treatment of Addiction Involving Opioid Use

Clinical guidelines for providers for the treatment of opioid use disorders.

Click Here for E-Link: asam.org/docs/default-source/practice-support/guidelines-and-consensus-docs/asam-national-practice-guideline-supplement.pdf

• Decisions in Recovery: Treatment for Opioid Use Disorder (Handbook)

This handbook provides up-to-date information on medication as one option for individuals in or seeking recovery from opioid use disorder. It encourages shared decision making between providers and peers by providing information, resources, and support related to medication-assisted treatment. This handbook can be used with an electronic decision making tool at this site:

Click Here for E-Link: mat-decisions-in-recovery.samhsa.gov/section/whether.aspx

• Implementing MAT for Opioid Use Disorder in Rural Primary Care: Environmental Scan The purpose of this environmental scan was to build on AHRQ's previous work related to OUD by further exploring the unique factors associated with implementing MAT in rural primary care settings and the availability of tools needed to implement MAT. This report comes in two parts, both available on this website.

Click Here for E-Link: integrationacademy.ahrq.gov/products/opioid-substance-use-resources

- NIDA Principles of Drug Addiction Treatment: A Research-Based Guide Third Edition
 Detailed information on the available evidence-based treatment options, detailed
 information on research conducted, and additional resources. Published 2018.
 Click Here for E-Link: opioidresponsenetwork.org/ResourceMaterials/NIDA_Principles of-drug-addiction-treatment-a-research-based-guide-third-edition.pdf
- TIP 43: Medication-Assisted Treatment for Opioid Addiction in Opioid Treatment Programs

This TIP, Medication-Assisted Treatment for Opioid Addiction in Opioid Treatment Programs, incorporates the many changes in medication-assisted treatment for opioid addiction (MAT) that have occurred over the most active decade of change since the inception of this treatment modality approximately 40 years ago. The TIP describes the nature and dimensions of opioid use disorders and their treatment in the United States, including basic principles of MAT and historical and regulatory developments. It presents consensus panel recommendations and evidence-based best practices for treatment of opioid addiction in opioid treatment programs (OTPs).

Click Here for E-Link:

https://opioidresponsenetwork.org/ResourceMaterials/TIP%2043%20-%20MAT.pdf

PRODUCTS: MANUALS

 TIP 54: Managing Chronic Pain in Adults With or in Recovery From Substance Use Disorders

This guide equips clinicians with information for treating chronic pain in adults living with a history of substance use. The guide discusses chronic pain management, including treatment with opioids. It also includes information about substance use assessments and referrals. Published 2012.

Click Here for E-Link: opioidresponsenetwork.org/ResourceMaterials/TIP54%20-%20Pain%20Management.pdf

• VA/DoD Clinical Practice Guideline for Opioid Therapy for Chronic Pain

This clinical practice guideline (CPG) is intended to provide healthcare providers with a framework by which to evaluate, treat, and manage the individual needs and preferences of patients with chronic pain who are on or being considered for long-term opioid therapy (LOT). Published: 2017.

Click Here for E-Link:

OT Full Clinical Practice Guidelines

opioidresponsenetwork.org/ResourceMaterials/VADoDOTCPG022717.pdf

OT Provider Summary

opioid response network. or g/Resource Materials/VAD oDOTCPGP rovider Summary 022817. pdf

OT Pocket Card

opioid response network. or g/Resource Materials/VAD oDOTCPGP ocket Card 022817. pdf

OT Provider Pocket Guide

 $opioid response network. org/Resource Materials/Opioid The rapy Provider Guide_508_Web_FINALv1.1_NOV2017_PDF.pdf$

OT Patient Summary

opioidresponsenetwork.org/ResourceMaterials/VADoDOTCPGPatientSummary022717.pdf OT Patient Pocket Guide

opioidresponsenetwork.org/ResourceMaterials/PatientGuideOpioidTherapyFINAL2017.pdf

 WHO Guidelines for the Psychosocially Assisted Pharmacological Treatment of Opioid Dependence

The Guidelines for the Psychosocially Assisted Pharmacological Treatment of Opioid Dependence review the use of medicines such as methadone, buprenorphine, naltrexone and clonidine in combination with psychosocial support in the treatment of people dependent on heroin or other opioids. Based on systematic reviews of the literature and using the GRADE approach to determining evidence quality, the guidelines contain specific recommendations on the range of issues faced in organizing treatment systems, managing treatment programs and in treating people dependent on opioids. Published 2009

Click Here for E-Link:

 $opioid response network. or g/Resource Materials/WHO_Treatment \% 20 Guidelines \% 20 for \% 20 Guidelines \% 20 G$

WEBSITES

Boston Medical Center's Office Based Addiction Treatment (OBAT) Provider Resources
 This website is a list of provider resources about opioid use disorder, screening, and
 treatment. It was compiled by Boston Medical Center's Office Based Addiction Treatment
 Training and Technical Assistance.

Click Here for E-Link: bmcobat.org/resources/?category=Provider+Resources

Getnaloxonenow.org

Get Naloxone Now is an online resource to train people to respond effectively to an opioid-associated overdose emergency. Get Naloxone Now advocates for widespread access to overdose education and training in how to administer naloxone, the life-saving antidote for opioid-associated overdose. Get Naloxone Now seeks to increase the number of lives saved by bystanders and professional first responders (police officers, firefighters and EMTs).

Click Here for E-Link: getnaloxonenow.org#home

• SAMHSA TIP 63 Series: Medications for Opioid Use Disorders

This website is a list of seven resources about medications for opioid use disorders. All seven are available to download for free using links from this website. Published: 2018.

Click Here for E-Link: store.samhsa.gov/product/TIP-63-Medications-for-Opioid-Use-Disorder-Full-Document-Including-Executive-Summary-and-Parts-1-5-/SMA19-5063FULLDOC

Simple Process Improvement for Behavioral Health

Founded in 2003, NIATx works with behavioral health care organizations across the country to improve access to and retention in treatment for the millions of Americans with substance abuse and/or mental health issues. NIATx designed a model of process improvement specifically for behavioral health care to improve access to and retention in treatment.

Click Here for E-Link: niatx.net/Home/Home.aspx?CategorySelected=HOME

Tapering - Guidance & Tools Clinical Update Dec. 2018

This resource developed by the Oregon Pain Guidance Clinical Advisory Group will address Pain tapering.

Click Here for E-Link: https://www.oregonpainguidance.org/guideline/tapering/

WEBSITES

• Tapering - Guidance & Tools Clinical Update Dec. 2018

This resource developed by the Oregon Pain Guidance Clinical Advisory Group will address Pain tapering.

Click Here for E-Link: https://www.oregonpainguidance.org/guideline/tapering/

JOURNALS: ISSUE BRIEFS

 Addressing the Opioid Epidemic: Joint Principles of the Following Organizations Representing Front-Line Physicians

On behalf of the more than 560,000 physicians and medical students represented by the combined memberships of the above organizations, we have adopted the following principles to address the opioid crisis impacting a significant number of individuals, families, and communities across the country.

Click Here for E-Link: opioidresponsenetwork.org/ResourceMaterials/ST-AddressingOpioidEpidemic-061118.pdf

 Medication Assisted Treatment Policy Across The States: Language Survey - Residential Modalities

This document will discuss medication assisted treatment policy for, substance use disorders

Click Here for E-Link:

 $opioid response network. or g/Resource Materials/MAT_Residential_Language V. 3. docx$

 Office-Based Opioid Treatment (OBOT) Best Practice Checklist (version 3)

This document includes recommendations for minimal requirements for office-based opioid treatment (OBOT) along with "enhanced practice opportunities" or "opportunities for enhancement" which offer best practices for OBOT.

Click Here for E-Link:

opioidresponsenetwork.org/ResourceMaterials/OBOT_checklist _5_3_19v3%20(1).pdf

Women and Pain Medicines

Women experience pain differently than men: * Women report more pain than men. * Some types of long-term (chronic) pain, like migraines and back pain, are more common in women. * Women may become dependent on prescription pain medicines more quickly than men. *Women are more likely to be prescribed prescription pain medicines, be given higher doses, and use them for longer time periods than men.

Click Here for E-Link:

https://opioidresponsenetwork.org/ResourceMaterials/Women%20and%20Pain%20Fact%2 OSheet_Remediated_English%202019%2004%2008.pdf



JOURNALS: ISSUE BRIEFS

• Overcoming Data-Sharing Challenges in the Opioid Epidemic: Integrating Substance Use Disorder Treatment in Primary Care

This paper summarizes the requirements of the federal SUD confidentiality rules set forth under 42 Code of Federal Regulations (CFR) Part 2, discusses the steps that primary care practices currently take to effectively coordinate SUD care without violating the rules, suggests additional compliance strategies that might enhance data sharing, and offers for consideration modest revisions to the rules that could promote the integration of care without undermining patient privacy.

Click Here for E-Link:

 $opioid response network. or g/Resource Materials/Overcoming Data Sharing Challenges Opioid. \\ pdf$

