

**Lawrence Bryant**  
**Stimulant Use Among African Americans**

**REFERENCES**

- Beck, J.S. (2011). *Cognitive behavior therapy. Basics and beyond* (2<sup>nd</sup> ed.). New York, NY: Guilford Press
- Blackstone, K., Iudicello, J. E., Morgan, E. E., Weber, E., Moore, D. J., Franklin, ... & Translational Methamphetamine AIDS Research Center Group (2013). Human immunodeficiency virus infection heightens concurrent risk of functional dependence in persons with long-term methamphetamine use. *Journal of Addiction Medicine*, 7(4), 255–263.  
<https://doi.org/10.1097/ADM.0b013e318293653d>
- Booth, B., Han, X., & Kramer, T. (2009). Young adult, rural, African American stimulant users: Antecedents and Vulnerabilities. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2808678/pdf/nihms89753.pdf>
- Brecht, M.-L., O'Brien, A., Mayrhauser, C. V., & Anglin, M. (2004). Methamphetamine use behaviors and gender differences. *Addictive Behaviors*, 29(1), 89–106
- Center for Behavioral Health Statistics and Quality. (2019). *Key substance use and mental health indicators in the United States: Results from the 2019 National Survey on Drug Use and Health (HHS Publication No. SMA 16-4984, NSDUH Series H-51)*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Centers for Disease Control (2016). *HIV and Substance Use in the United States*. Retrieved from: <https://www.cdc.gov/hiv/risk/substanceuse.html>
- Hughes, A., Williams, M., Lipari, N., Bose, J. (2016). Prescription drug use and misuse in the United States: Results from the 2015 national survey on drug use and

health, from <https://www.samhsa.gov/data/sites/default/files/NSDUH-FFR2-2015/NSDUH-FFR2-2015.pdf>

Jones, C. M., Compton, W. M., & Mustaquim, D. (2020). Patterns and Characteristics of Methamphetamine Use Among Adults -- United States, 2015-2018. *MMWR: Morbidity & Mortality Weekly Report*, 69(12), 317–323.

<https://www.cdc.gov/mmwr/volumes/69/wr/mm6912a1.htm>

Kramer, T. L., Han, X. & Booth, B. M. (2009). Young adult, rural, African American stimulant users: Antecedents and vulnerabilities. *Journal of Ethnicity in Substance Abuse*, 8(4), 378-399.

McKay, T. A., McDavitt, B., George, S., & Mutchler, M. G. (2012). 'Their type of drugs': perceptions of substance use, sex and social boundaries among young African American and Latino gay and bisexual men. *Culture, Health & Sexuality*, 14(10), 1183–1196. <https://doi.org/10.1080/13691058.2012.720033>

National Survey of Drug Use and Health (NSDUH) Releases: CBHSQ Data. (2018).

Retrieved June 3, 2020, from

[https://www.samhsa.gov/data/sites/default/files/reports/rpt23247/2\\_AfricanAmerican\\_2020\\_01\\_14.pdf](https://www.samhsa.gov/data/sites/default/files/reports/rpt23247/2_AfricanAmerican_2020_01_14.pdf)

National Institute of Health. (2014) Drugs, brains, and behavior the science of addiction.

Retrieved from <http://www.drugabuse.gov/publications/drugs-brains-behavior-science-addiction/preface>

National Institute on Drug Abuse. (2016). *Cocaine*. Retrieved from:

<https://www.drugabuse.gov/publications/drugfacts/cocaine>

National Institute on Drug Abuse. (2019a, October 16). *Methamphetamine*. Retrieved May 30, 2020, from <https://www.drugabuse.gov/publications/research-reports/methamphetamine>.

National Institute on Drug Abuse. (2019b, October). *What is methamphetamine?*

Retrieved June 3, 2020, from <https://www.drugabuse.gov/publications/research-reports/methamphetamine/what-methamphetamine>

Samhsa National Survey of Drug Use and Health Releases (2018). Retrieved June 3, 2020, from <https://www.samhsa.gov/data/release/2018-national-survey-drug-use-and-health-nsduh-releases>

Sanchez, K., Greer, T. L., Walker, R., Carmody, T., Rethorst, C. D., & Trivedi, M. H. (2017). Racial and ethnic differences in treatment outcomes among adults with stimulant use disorders after a dosed exercise intervention. *Journal of ethnicity in substance abuse*, 16(4), 495–510.

Semple, S. J., Amaro, H., Strathdee, S. A., Zians, J., & Patterson, T. L. (2009). Ethnicity: Heterosexual methamphetamine users: Ethnic differences in substance use, sexual risk behaviors, and psychosocial factors in a sample of heterosexual methamphetamine users. *Substance Use & Misuse*, 44(8), 1101–1120.  
Retrieved from <https://doiorg.ezp.waldenulibrary.org/10.1080/10826080802490055>.

Sexton, R., & Carlson, C. (2005). Barriers and pathways to diffusion of methamphetamine use among African Americans in the rural south: Preliminary ethnographic findings. *Journal of Ethnicity in Substance Abuse*, 4(1), 77–103.  
Retrieved from: <http://www.haworthpress.com/web/JESA>.

Solomon, T. M., Halkitis, P. N., Moeller, R. W., & Pappas, M. K. (2012). Levels of methamphetamine use and addiction among gay, bisexual, and other men who have sex with men. *Addiction Research & Theory*, 20(1), 21–29.

Stimulants. (n.d). The Most Commonly Abused Types of Stimulants.

[Retrieved June 2020. https://stimulants.com/types-of-stimulants/what-are-the-most-commonly-abused-types-of-stimulants/](https://stimulants.com/types-of-stimulants/what-are-the-most-commonly-abused-types-of-stimulants/)

Substance Abuse and Mental Health Services Administration. (2019). Key substance use and mental health indicators in the United States: Results from the 2018 National Survey on Drug Use and Health (HHS Publication No. PEP19-5068, NSDUH Series H-54). Rockville, MD: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration. Retrieved from <https://www.samhsa.gov/data/>